



A collection of mechanical parts and tools for a vehicle lift, laid out on a concrete floor. The items include: two large rollers with metal shafts; several long, blue-painted metal beams; a central motor unit with hoses and a black tire mounted on a white rim; a blue control box with a metal mesh cage; a blue structural frame; a blue plate; a white plate; a long metal rod; and a blue square plate. The parts are arranged in a systematic manner, likely for assembly or inspection.

2. Montera Hjulaxeln, mät så att den är centrerad på maskinen.



3. Montera fast hjulen med hjullagrets kona innåt fälgen.



4.Montera fast stagen enl. Bilden nedan




5.Montera fast stödbenen




6.Fäll ned Vedklippen så den står i rätt läge



7.Montera fäste för tank och dragstång



Notera bussningarna på insidan



8. Innan Glidplåten monteras lossas med fördel bult markerad med röd pil.

Glöm ej att montera de övre bussningarna markerad med gul pil.




9.Montera dragstången




10.Montera Hydraultanken



11.Montera On/Off 16A



12.Montera fast hydraullangarna på tanken



13.Montera fast den främre skyddsburen och skruva fast hydraulpaketet



14.Lossa motorbultarna (markerade) och skruva fast skyddskåpan



15.Montera materialrullarna enl. följande



16.Montera Längdmåttet samt de bakre skydds gallren



17.Då var din Vedklipp färdigmonterad



OBS!

Fyll hydraultanken full med Hydraulolja 46